

Decorative Industrial Plating, LLC 2531 N. Dodge Avenue Helena, MT 59601 (406) 449-6626 (406) 442-6591 (Fax) www.dipitnow.com

Finishes

Nickel - Copper - Chrome - Brass 24k Gold and Oil - Rubbed Bronze

Owners
Paul and Beckie Graham

<u>Shop Manager</u> John Sanderson

April 23, 2019

Pretreatment Coordinator Engineering Division Public Works Department 316 N. Park Avenue Helena MT 59623

Dear Pretreatment Coordinator:

Please find enclosed our TOMP and TTO Certification Statement along with our Industrial User Monitoring Report Form for the First quarter of 2019. Also enclosed is the analytical report and supporting documentation from Alpine Analytical.

If you have any questions or need further information please contact me at 449-6626.

Sincerely

Paul Graham/

Owner/Member

Enclosure

Monitoring Report

Alpine Analytical Report

TOMP

TTO Certification Statement

Toxic Organic Management Plan Industrial User Discharge Permit No: DIP005

Decorative Industrial Plating, LLC 2531 Dodge Avenue Helena MT 59601

I. Purpose and Scope

The purpose of the plan is to identify sources of toxic organics in the facility wastewater and describe controls necessary to insure that these chemicals are not intentionally or accidentally discharged in the facility wastewater system. A Baseline Monitoring Report (BMR) has been submitted which contains TTO information. Refer to Attachment A for the toxic organic list.

A. Process Description

Decorative Industrial Plating, LLC (DIP) is a job shop electroplater performing copper, nickel, brass, gold and chrome plating operations. The electrolytic rinse tank is the only tank that is drained into the sanitary sewer system. This tank is the first step in the plating process. A slow flow of water enters and leaves this tank continually during plating operations. A flow meter on the tank is monitored and indicates a monthly discharge of 3,000 - 4,000 gallons. The pH is monitored daily as required by the industrial use permit.

B. Identification of Toxic Organic Chemicals Entering the Plant Wastewater

There are no toxic organic compounds used that are discharged into the sanitary sewer system.

C. Inventory of Toxic Organics used at the Facility

Methylene Chloride

DIP occasionally uses a paint stripper to remove paint from small parts prior to sandblasting and cleaning. This paint strip (Atotech 1540) contains methylene chloride (CAS-No 75-09-2) according to the MSDS.

D. Methods of disposal

DIP has not disposed of any 1540 paint stripper. DIP contracts with Mountain States Environmental Services, Billings MT to dispose of any hazardous materials.

E. Existing administrative controls to prevent leaks or accidental discharges of toxic organics

A small amount (approximately 20 gallons) is kept in a heavy plastic 55 gallon drum which the parts are set in. The drum is located inside a 500 gallon open top tank that is lined with a heavy PVC liner. The drum is covered at all times.

F. Toxic Organic Management Plan

Employees who use the paint strip process have been trained on how to properly handle this product for safety and environmental reasons. The shop owner has checked on replacing the stripper with one containing no toxic organic compounds. There are currently three possible alternatives. If an alternative product is found the existing stripper will be disposed of by approved methods using Mountain States Environmental Services.

II. Certification

TTO Certification Statement

Based on my inquiry of the person or persons directly responsible for managing compliance with the permit limitation [or pretreatment standard] for total toxic organics (TTO) I certify that, to the best of my knowledge and belief, no dumping of concentrated toxic organics into the wastewater has occurred since filing of the last discharge monitoring report . I further certify that this facility is implementing the toxic organic management plan submitted to the City of Helena.

Signature of Representative: \ \(\text{Uul Gulun} \)
Company: Decorative Industrial Plating, LLC
Name & Title of Representative: Paul Graham, Owner/Member
Date of Signature: 4-23-19

Appendix A TOTAL TOXIC ORGANICS LIST

Volatile Comp'ds (EPA Method 624)

- 1. Acrolein
- 2. Acrylonitrile
- 3. Benzene
- 4. Bromoform
- 5. Carbon tetrachloride
- 6. Chlorobenzene
- 7. Chlorodibromomethane
- 8. Chloroethane
- 9. 2-chloroethylvinyl ether
- 10. Chloroform
- 11. Dichlorobromomethane
- 12. 1,1-dichloroethane
- 13. 1,2-dichloroethane
- 14. 1,1-dichloroethylene
- 15. 1,2-dichloropropane
- 16. 1,3-dichloropropylene
- 17. Ethylbenzene
- 18. Methyl bromide
- 19. Methyl chloride
- 20. Methylene chloride
- 21. 1,1,2,2-tetrachloroethane
- 22. Tetrachloroethylene
- 23. Toluene
- 24. 1,2-trans-dichloroethylene
- 25. 1,1,1-trichloroethane
- 26. 1,1,2-trichloroethane
- 27. Trichloroethylene
- 28. Vinyl chloride

Acid compounds (EPA Method 625)

- 29. 2-chlorophenol
- 30. 2,4-dichlorophenol
- 31. 2,4-dimethylphenol
- 32. 4,6-dinitro-o-cresol
- 33. 2,4-dinitrophenol
- 34. 2-nitrophenol
- 35. 4-nitrophenol
- 36. p-chloro-m-cresol
- 37. Pentachlorophenol
- 38. Phenol
- 39. 2,4,6-trichlorophenol

Base/Neutral s (EPA Method 625)

- 40. Acenaphthene
- 41. Acenaphthylene
- 42. Anthracene
- 43. Benzidine
- 44. Benzo(a)anthracene
- 45. Benzo(a)pyrene
- 46. 3,4-benzofluoranthene
- 47. Benzo(ghi)perylene
- 48. Benzo(k)fluoranthene
- 49. bis(2-chloroethoxy)methane
- 50. bis(s-chloroethyl)ether
- 51. bis(2-chloroisopropyl)ether
- 52. bis(2-ethylhexyl)phthalate
- 53. 4-bromophenyl phenyl ether
- 54. Butylbenzyl phthalate
- 55. 2-chloronaphthalene
- 56. 4-chlorophenyl phenyl ether

- 57. Chrysene
- 58. Dibenzo(a,h)anthracene
- 59. 1,2-dichlorobenzene
- 60. 1,3-dichlorobenzene
- 61. 1,4-dichlorobenzene
- 62. 3,3-dichlorobenzidene
- 63. Diethyl phthalate
- 64. Dimethyl phthalate
- 65. Di-n-butyl phthalate
- 66. 2,4-dinitrotoluene
- 67. 2,6-dinitrotoluene
- 68. Di-n-octyl phthalate
- 69. 1,2-diphenylhydrazine (as azobenzene)
- 70. Fluroranthene
- 71. Fluorene
- 72. Hexachlorobenzene
- 73. Hexachlorobutadiene
- 74. Hexachlorocyclopentadiene
- 75. Hexachloroethane
- 76. Indeno(1,2,3-cd)pyrene
- 77. Isophorone
- 78. Naphthalene
- 79. Nitrobenzene
- 80. N-nitrosodimethylamine
- 81. N-nitrosodi-n-propylamine
- 82. N-nitrosodiphenylamine
- 83. Phenanthrene
- 84. Pyrene
- 85. 1,2,4-trichlorobenzene

Pesticides (EPA Method 608)

- 86. Aldrin
- 87. Alpha-BHC
- 88. Beta-BHC
- 89. Gamma-BHC
- 90. Delta-BHC
- 91. Chlordane
- 92. 4,4'-DDT
- 93. 4,4'-DDE
- 94. 4,4'-DDD
- 95. Dieldrin
- 96. Alpha-endosulfan
- 97. Beta-endosulfan
- 98. Endosulfan sulfate
- 99. Endrin
- 100. Endrin aldehyde
- 101. Heptachlor
- 102. Heptachlor epoxide
- 103. PCB-1242 (Arochlor 1242)
- 104. PCB-1254 (Arochlor 1254)
- 105. PCB-1221 (Arochlor 1221)
- 106. PCB-1232 (Arochlor 1232)
- 107. PCB-1248 (Arochlor 1248)
- 108. PCB-1260 (Arochlor 1260)
- 109. PCB-1016 (Arochlor 1016)
- 110. Toxaphene

Total concentration of all quantifiable values greater than 10 micrograms for compounds 1 thru 110 shall not exceed 2,130 ug/l.

The list of Priority Pollutants included herein is taken from Federal NPDES Permit regulation 40 CFR Part 122, Appendix D, Table

City of Helena Wastewater Treatment Facility 2108 Custer Avenue East Helena, MT 59602

(406) 457-8555



Industrial User Monitoring Report Form

Name of Business: Decorative Industrial Plating

Permit Number: DIP005

Address: 2531 Dodge Avenue

Contact Person Name: Paul Graham, Owner

Alternate: John Sanderson, Manager

Telephone No. 406-449-6626

Reporting Period:

Please complete the following table, and include laboratory results for each parameter analyzed.

Pollutant Parameter	Daily Max (mg/l)	Monthly Average (mg/l)	Analytical Results in mg/l	Sample Date
Arsenic	0.01	0.006	.006	3-19-19
Cadmium – T	0.11	0.07	L.001	(
Chromium – T	2.77	1.71	,002	
Chromium III	2.36	1.46	- 001	
Chromium VI	0.41	0.25	,00/	
Copper –T	3.38	2.07	. 314	
Cyanide – T	1.20	0.65	4.05	
Lead - T	0.69	0.43	2,001	
Mercury	0.25	N/A	2,0006	
Molybdenum	1.28	N/A	.001	
Nickel – T	3.98	2.38	,019	
Selenium	0.95	N/A	,005	
Silver – T	0.43	0.24	2,001	
Zinc – T	2.61	1.48	.112	

Process Water

Beginning Meter Reading 350,762 Ending Meter Reading 365,270

(Beg – End) = HCF: HCF X 748 = gallons Total gallons discharged 14,508

DATE	рН	DATE	рН	DATE	рН
1		12		23	8.3
2	No Plating	13		24	8.5
3	8.9	14	7.7	25	9.1
4	3.9	15	8.0	26	
5		16	8.5	27	
6		17	No Plating	28	8.8
7	9.1	18	8.2	29	8-9
8	9.0	19		30	8,0
9	8.9	20		31	7.5
10	8.7	21	81		,
11	9.3	22	7.1		

ncide	nces of Non-Compliance and Corrective Actions Ta Was Non-Compliance experienced this reporting period If yes, describe non-compliance	es	No_V	_ '
	Corrective Action Taken:			
		Vaste (Y/		ifest

Certification Statement (must be signed by authorized representative)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and/or imprisonment for knowingly or negligently submitting false or misleading information.

Signed:

Date and Time: 2-1-19 3:29 PM

Printed Name:

Page 2 of 2

Self-monitoring Reports are due by the 28th of the month following the reporting period. Industrial Users submitting reports more than 30-days late are considered in Significant Non-Compliance and will be subject to enforcement by the City of Helena.

pH must be maintained	between	5.5	and	10.5	5
-----------------------	---------	-----	-----	------	---

DATE	рН	DATE	рН	DATE	
1	4.2	12	00		рН
2	8.7		8.5	23	The second section of the second section is a second secon
	Commence of the Commence of th	13	9.1	24	The same of the sa
3		14	8.4	25	No Platon
4	8.2	15	8.9	26	No Pluting
5	8.6	16	A STATE OF THE PARTY OF THE PAR	27	100 (190)//9
6	0,8	17		28	19
7	1.1	18	8.3	20	[1]
8	7,4	19	8.6	60	
9		20	9.6		
10	AND THE PARTY OF T	21	7.9		
11	No Plating	22	7.2		
Incidona	s of Non Compliance				

dences of Non-Compliance and Cor Was Non-Compliance experienced If yes, describe non-compliance	Yes No		
Corrective Action Taken:			
Analytical data attached (Y/N)_	Hauled If yes a	d Waste (Y/N) Natification	SE

Certification Statement (must be signed by authorized representative)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and/or imprisonment for knowingly of negligently submitting false or misleading information.

Signed:

Date and Time: 3-5-19

Page 2 of 2

Self-monitoring Reports are due by the 28th of the month following the reporting period. Industrial Users submitting reports more than 30-days late are considered in Significant Non-Compliance and will be subject to enforcement by the City of Helena.

nH	massof	ha				1.0	
Par s	must	ne	maintained	between	5.5	and	10.5

Month MARCH Year 2019

DATE	рН	DATE	mLI mLI		
1			рН	DATE	pН
<u> </u>	6.5	12	2.5	23	
2		13	8.5	24	
3		14	8.2	25	24
4	6.4	15	81	26	8.1
5	(13)	16		27	2.4
6	6.9	17		28	7.
7	2./	18	7.9	29	7.1
8	1.5.	19	8.1	30	
9		20	8./	31	
10		21	8.5		
11	8.1	22	8.9.		
Incidones	s of Non-Compliance				

dences of Non-Compliance and Corne Was Non-Compliance experienced to If yes, describe non-compliance	Yes No	
Corrective Action Taken:		
Analytical data attached (Y/N)_	Hauled If yes a	Waste (Y/N) Nattach copy of manifest

Certification Statement (must be signed by authorized representative)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my/knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and/or imprisonment for knowingly or negligently submitting false or misleading information.

Signed: fall guham

Date and Time:

11:20 Am

Printed Mame:

Page 2 of 2

Self-monitoring Reports are due by the 28th of the month following the reporting period. Industrial Users submitting reports more than 30-days late are considered in Significant Non-Compliance and will be subject to enforcement by the City of Helena.



1315 Cherry, Helena, MT 59601 (406)449-6282

Case Narrative

On March 19, 2019, one water sample was received by our laboratory for analysis. The chain of custody indicated that the sample was to be analyzed for Total Metals, Hexavalent Chrome and Total Cyanide. The sample was received cool and intact and hand delivered.

Results are summarized on the following page.

Should you have any questions regarding this analysis feel free to give us a call at 449-6282 or 800-814-6282.

We appreciate the fact that you have chosen us as your analytical lab.

Sincerely yours,

Harry Howell

Laboratory Manager



1315 Cherry, Helena, MT 59601 (406)449-6282

Client: D.I.P

Date Reported: 21-Mar-19

Sample ID: End of Line

Project ID: None Given

Temp: 11.5°C

Chain of Custody No.: 27615

Laboratory ID: 26C192 Sample Matrix: Water Date / Time Sampled: 19-Mar-19 @ 11:25

Date / Time Received: 19-Mar-19 @ 11:38

			Analyzed Method			
Parameter	AR	PQL	Date/Time	Ву	Reference	
Arsenic Total, mg/L	0.006	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Cadmium Total, mg/L	< 0.001	0.0005	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Chromium Total, mg/L	0.002	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Chromium III, mg/L	0.001	0.001	21-Mar-19 @ 10:50	CE/HH	Calc	
Chromium VI, mg/L	0.001	0.001	19-Mar-19 @ 16:10	CE	EPA 200.8	
Copper Total, mg/L	0.314	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Lead Total, mg/L	< 0.001	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Mercury Total, mg/L	<0.0006	0.0006	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Molybdenum Total, mg/L	0.001	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Nickel Total, mg/L	0.019	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Selenium Total, mg/L	0.005	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Silver Total, mg/L	< 0.001	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Zinc Total, mg/L	0.112	0.001	21-Mar-19 @ 10:50	CE/HH	EPA 200.8	
Total Cyanide, mg/L	<0.05	0.05	20-Mar-19 @ 15:05	CE/HH	SM 4500CN C	

Comments:

ND - None Dectected

PQL - Practical Quantitation Limit

NA - Not Applicable

References:

EPA-Methods for Chemical Analysis of Water and Wastes, US EPA, 600/4-79-020 SM-Standard methods for the Examination of Water and Wastewater, APHA/AWWA/WEF, 18th ed

Reviewed by:

1315 Cherry, Helena, MT 59601 (406)449-6282

QUALITY CONTROL DATA - WATER ANALYSIS

Date Reported: 21-Mar-19

Laboratory ID: QC06 / QC07
Condition: Intact

Parameter	Analytical Result	True Value	Range	Method Reference
Arsenic Total, mg/L	0.102	0.100	0.085 - 0.115	EPA 200.8
Cadmium Total, mg/L	0.090	0.100	0.085 - 0.115	EPA 200.8
Chromium Total, mg/L	0.097	0.100	0.085 - 0.115	EPA 200.8
Copper Total, mg/L	0.114	0.100	0.085 - 0.115	EPA 200.8
Lead Total, mg/L	0.090	0.100	0.085 - 0.115	EPA 200.8
Mercury Total, mg/L	0.0020	0.0020	0.0018 - 0.0023	EPA 200.8
Molybdenum Total, mg/L	0.107	0.100	0.085 - 0.115	EPA 200.8
Nickel Total, mg/L	0.106	0.100	0.085 - 0.115	EPA 200.8
Selenium Total, mg/L	0.515	0.500	0.325 - 0.625	EPA 200.8
Silver Total, mg/L	0.089	0.100	0.085 - 0.115	EPA 200.8
Zinc Total, mg/L	0.114	0.100	0.085 - 0.115	EPA 200.8

Parameter	Blank Result	Analytical Result	Duplicate Result	% Difference
Arsenic Total, mg/L	<0.001	0.006	0.006	0.0%
Cadmium Total, mg/L	< 0.0005	< 0.001	< 0.001	NA
Chromium Total, mg/L	< 0.001	0.002	0.002	0.0%
Copper Total, mg/L	< 0.001	0.314	0.314	0.0%
Lead Total, mg/L	< 0.001	< 0.001	< 0.001	NA
Mercury Total, mg/L	< 0.0006	<0.0006	< 0.0006	NA
Molybdenum Total, mg/L	<0.001	0.001	0.001	0.0%
Nickel Total, mg/L	<0.001	0.019	0.019	0.0%
Selenium Total, mg/L	<0.001	0.005	0.006	-20.0%
Silver Total, mg/L	< 0.001	<0.001	<0.001	NA
Zinc Total, mg/L	<0.001	0.112	0.113	-0.9%

Comments: NA - Not Applicable

References:

Methods for Chemical Analysis of Water and Wastes, US EPA, 600/4-79-020

Reviewed by:

Chain of Custody

1315 Cherry Ave. Helena, MT 59601

www.alpineanalytical.com Sampler (s/gnature) Sampler (print) Project ID Site ID Comments Time: //:ЭВям Analysis Requested (406) 449-6282 Containers Number of Date: 3-19-19 Pick-up □ Zip □ % Matrix Report To: (If different than invoice) e-mail Copy of Invoice: Yes Date | Time | Grab | Comp Type Send Via: Mail 3/19/19 11:254 Address Phone e-mail Sample City Pick-up □ Zip □ % Sample Identification e-mail of Line State Yes 🗆 Mail

End

Send Via: Report

e-mail

Phone

City

Address

Lab use only

LAB ID

MAIL

UPS | BUS |

HAND DELIVERED

FEDEX

Vemperature Received °C / Condition Received

^{**} An additional cost may be incurred for samples disposed of by Alpine Analytical Laboratory.

^{**} An additional weekend cost may be incurred for samples that are read back on a weekend or a Holiday. (ex. Total Coliform, Fecal Coliform, BOD, etc.)

City of Helena Wastewater Treatment Facility 2108 Custer Avenue East Helena, MT 59602 (406) 457-8555



Industrial User Monitoring Report Form

Name of Business: Dec Address: 2531 Dodge	그 집에 가장 없이 하고 있다고 하는데 하는데 하는데 이 얼굴 때문에 없는데 되었다. 하는데 하는데 하나 하나 없다.	ng Permit Number: DIP005
Contact Person Name: I Telephone No. 406-449	Paul Graham, Owner	Alternate: John Sanderson, Manager
Reporting Period:	Month	Year

Please complete the following table, and include laboratory results for each parameter analyzed.

Pollutant Parameter	Daily Max ((mg/l)	Monthly Average (mg/l)	Analytical Results in mg/l	Sample Date
Arsenic	0.01	0.006		
Cadmium – T	0.11	0.07	•	
Chromium – T	2.77	1.71		
Chromium III	2.36	1.46		
Chromium VI	0.41	0.25		
Copper –T	3.38	2.07		
Cyanide - T	1.20	0.65		
Lead - T	0.69	0.43		
Mercury	0.25	N/A		
Molybdenum	1.28	N/A		•
Nickel – T	3.98	2.38		
Selenium	0.95	N/A		
Silver – T,	0.43	0.24		
Zinc – T	2.61	1.48		

(Beg - End) = HCF: HCF X 748 = gallons	Total gallons discharged
Beginning Meter Reading	Ending Meter Reading
Process Water	